



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

BOTANICAL GAZETTE

THE
BOTANICAL GAZETTE

EDITORS:

JOHN MERLE COULTER AND CHARLES REID BARNES

VOLUME XLVI
JULY-DECEMBER, 1908

WITH THIRTY-THREE PLATES AND SIXTY-EIGHT FIGURES

CHICAGO
THE UNIVERSITY OF CHICAGO PRESS

1908

Published
July, August, September, October, November, December, 1908

Composed and Printed By
The University of Chicago Press
Chicago, Illinois, U. S. A.

TABLE OF CONTENTS

	PAGE
A study of reduction in <i>Oenothera rubrinervis</i> . Contributions from the Hull Botanical Laboratory	
CXI (with plates I-III) - - - - <i>Reginald Ruggles Gates</i>	1
Studies in Araceae (with plates IV-VI) - - - - <i>James Ellis Gow</i>	35
The embryo sac and embryo of <i>Gnetum Gnemon</i> . Contributions from the Hull Botanical Laboratory	
CXII (with plate VII) - - - - <i>John M. Coulter</i>	42
Floral succession in the prairie-grass formation in southeastern South Dakota. Contributions from the Hull Botanical Laboratory	
CXIII (with three figures) - - - - <i>LeRoy Harris Harvey</i>	81
Undescribed plants from Guatemala and other Central American republics. XXX - - - - <i>John Donnell Smith</i>	109
A method for the quantitative determination of transpiration in plants (with one figure) - - - - <i>Geo. F. Freeman</i>	118
The toxic property of bog water and bog soil (with six figures) - - - - <i>Alfred Dachnowski</i>	130
The staminate cone and male gametophyte of Podocarpus. Contributions from the Hull Botanical Laboratory	
CXIV (with nine figures and plates VII and IX) - - - - <i>L. Lancelot Burlingame</i>	161
Sisyrinchium: anatomical studies of North American species (with plates X, XI, XIA) - - - - <i>Theo. Holm</i>	179
A new respiration calorimeter - - - - <i>George J. Peirce</i>	193
The seedling of Ceratozamia. Contributions from the Hull Botanical Laboratory	
CXV (with two figures and plates XII-XVI) - - - - <i>Helen A. Dorety</i>	203
Are there foliar gaps in the Lycopside? (with plates XVII and XVIII) - - - - <i>Edward C. Jeffrey</i>	241
Effect of illuminating gas and ethylene upon flowering carnations. Contributions from the Hull Botanical Laboratory	
CXVI (with four figures) <i>William Crocker and Lee I. Knight</i>	259
Floral succession in the prairie-grass formation of southeastern South Dakota. Contributions from the Hull Botanical Laboratory	
CXVII (with four figures) - - - - <i>LeRoy Harris Harvey</i>	277
Observations on <i>Polyporus lucidus</i> Leys. and some of its allies from Europe and North America (with five figures and plate XIX) - - - - <i>George F. Atkinson</i>	321
The morphology of <i>Phyllocladus alpinus</i> . Contributions from the Hull Botanical Laboratory	
CXVIII (with plates XX-XXII) - - - - <i>N. Johanna Kildahl</i>	339

Notes on numerical variation in the daisy	- -	<i>C. H. Danforth</i>	349
The vascular anatomy of the seedling of <i>Dioon edule</i> . Contributions from the Hull Botanical Laboratory CXIX (with plates XXIII-XXIX)	- -	<i>Reinhardt Thiessen</i>	357
Bryological papers: II. The origin of the cupule of <i>Marchantia</i> . Contributions from the Hull Botanical Laboratory CXX (with fourteen figures)	- - - -	<i>Charles R. Barnes and W. J. G. Land</i>	401
Emergence of lateral roots (with three figures)	- -	<i>Raymond H. Pond</i>	410
Studies in the Gramineae: IX. The Gramineae of the alpine region of the Rocky Mountains in Colorado (with five figures and plate XXX)	-	<i>Theo. Holm</i>	422
The nature of the embryo sac of <i>Peperomia</i> (with plates XXXI-XXXIII)	- - - -	<i>William H. Brown</i>	445
BRIEFER ARTICLES—			
The occurrence and rate of protoplasmic streaming in greenhouse plants	- - - -	<i>Grace L. Bushee</i>	50
On plasmolysis	- - - -	<i>W. J. V. Osterhout</i>	53
The flowers of <i>Washingtonia</i> (with five figures)	-	<i>S. B. Parish</i>	144
The number and size of the stomata	- - -	<i>Sophia H. Eckerson</i>	221
The absorptive power of a cultivated soil (with three figures)	- - -	<i>Joseph Rosen and Charles Heller</i>	224
A parasitic alga, <i>Rhodochytrium spilanithidis</i> Lagerheim, in North America	- - -	<i>George F. Atkinson</i>	299
Note on balanced solutions	- - - -	<i>Oscar Loew</i>	302
Formation of adventitious roots in the umbrella tree (with two figures)	- - - -	<i>O. M. Ball</i>	303
New Colorado species of <i>Crataegus</i> (with two figures)	- - - -	<i>Francis Ramaley</i>	381
Sexual condition in <i>Fegatella</i>	- - - -	<i>A. F. Blakeslee</i>	384
A new characteristic of <i>Engelmann spruce</i>	-	<i>E. R. Hodson</i>	386
A new poisonous mushroom	- - - -	<i>George F. Atkinson</i>	461
Affinities of <i>Phyllocladus</i> . Contributions from the Hull Botanical Laboratory CXXI	- -	<i>N. Johanna Kildahl</i>	464
Note on the pollen of <i>Microcachrys</i>	- -	<i>Robert Boyd Thomson</i>	465
CURRENT LITERATURE	- - - -	56, 148, 230, 305, 387,	467
For titles of books reviewed see index under author's name and Reviews			
Papers noticed in "Notes for Students" are indexed under author's name and subjects			

DATES OF PUBLICATION

No. 1, July 23; No. 2, August 22; No. 3, September 22; No. 4, October 17;
No. 5, November 16; No. 6, December 30.

ERRATA

- P. 43, footnote 2, for KARSTEN, H., read KARSTEN, G.
P. 52, *Tradescantia zebrina* optimum, for .990 read .966.
P. 88, in table under Mean chresard, for 14.7% read 14.1%.
P. 109, line 2 from top, omit hyphen.
P. 111, line 8 from bottom, for semioribularibus read semiorbicularibus.
P. 113, line 13 from bottom, for punctulata read punctulato.
P. 115, line 10 from bottom, before minore insert folio.
P. 116, line 10 from bottom, for bimellemetrali read bimillemetralli.
P. 116, line 3 from bottom, for pedunculos implice read pedunculo simplice.
P. 117, line 13 from top, for longa read longo.
P. 124, line 5 below Table III, for 0.004^{gm} read 0.0004^{gm}.
P. 131, line 18 from top, for 1883 read 1833.
P. 147, line 4 from top, for WILLIAM read EDWARD.
P. 154, line 16 from top and footnote 15, for SARGENT read SARGANT.
P. 156, line 19 from top, for cell read cells.
P. 193, under title, for PIERCE read PEIRCE.
Pp. 195, 197, 199, 201, in folio, for PIERCE read PEIRCE.
P. 206, line 21 from top, for *edule* read *edulis*.
P. 256, line 16 from top, for mere read near.
P. 323, in legend, for "*lucidum*" read "*lucidus*."
Pp. 323, 325, in legend, for *pseudoboletum* read *pseudoboletus*.
P. 330, line 19 from top, for vörtiga read vårtiga.
P. 334, line 24 from top, for PSEUDOBOLETUM read PSEUDOBOLETUS.
P. 335, line 2 from top, for *tusgae* read *tsugae*.
P. 335, lines 3 and 5 from bottom, for *pseudoboletum* read *pseudoboletus*.
P. 336, line 3 from top, for *pseudoboletum* read *pseudoboletus*.
P. 336, line 5 from top, for 21007 read 21077.
P. 338, lines 1, 7, 22, for *pseudoboletum* read *pseudoboletus*.